## § 26.3

(CEQ), the Department of State, the Agency for International Development (AID), the National Oceanic and Atmospheric Administration (NOAA), and the Bank Information Center (BIC) (which is a private, nongovernmental organization located in Washington, DC), receive copies from each multilateral development bank (MDB) project listings describing future MDB projects and assigning environmental categories based on the environmental impact of each project. If an MDB has not provided a project listing to one of these entities, these entities may obtain the project listing by contacting the MDB Office, 1500 Pennsylvania Avenue NW., Washington, DC 20220, (202) 622-0765.

(b)(1) Members of the public may obtain copies of project listings from the BIC, 2025 Eye Street NW., suite 522, Washington, DC 20006 ((202) 466-8191, not a toll-free call).

(2) If a copy is not available from the BIC, members of the public may arrange to review and/or copy a project listing by contacting the MDB Office which will make a copy available at the Department of the Treasury Library, 1500 Pennsylvania Avenue NW., Washington, DC ((202) 622–0990, not a toll-free call). Members of the public are advised that they must make an appointment with the Treasury Library before they visit and that a charge (currently 15 cents per page) is imposed for the use of the library photocopier.

## § 26.3 Availability of Environmental Impact Assessment Summaries (EIA Summaries) and Environmental Impact Assessments (EIAs).

(a) EIA summaries. (1) The MDB Office will provide for the distribution of EIA Summaries to the entities identified in section 26.2(a).

(2) (i) Members of the public may obtain copies of EIA Summaries from the BIC, 2025 Eye Street, NW., suite 522, Washington, DC 20006 ((202) 466-8191, not a toll-free call).

(ii) If a copy of an EIA Summary is not available from the BIC, members of the public may arrange to review and/ or copy an EIA Summary by contacting the MDB Office at (202) 622-0765 (not a toll-free call), which will make a

copy available at the Department of the Treasury Library, 1500 Pennsylvania Avenue NW., Washingon, DC. Members of the public are advised that they must make an appointment with the Treasury Library (202) 622-0990) before they visit, and that a charge (currently 15 cents per page) is imposed for the use of the library photocopier. To the extent possible, EIA Summaries will be available for review and copying at least 120 days before scheduled consideration of a project by the MDB Executive Directors.

(b) EIAs—(1) The African Development Bank, the European Bank for Reconstruction and Development, and the Asian Development Bank. Arrangements to review an EIA may be made by contacting the MDB Office ((202) 622-0765 (not a toll-free call)), which will obtain a copy of the EIA through the Office of the United States Executive Director of the appropriate MDB and make it available for review and copying in the Department of the Treasury Library. Members of the public are advised that they must make an appointment with the Treasury Library, ((202) 622-0900 (not a toll-free call), before they visit, and that a charge (currently 15 cents per page) is imposed for the use of the library photocopier.

(2) The International Bank for Reconstruction and Development, the International Development Association, and the Inter-American Development Bank. (i) Members of the public may review EIAs at the public reading room of the concerned MDB.

(ii) If a particular MDB does not have a public reading room, members of the public may arrange to review and/or copy an EIA by contacting the MDB Office ((202) 622-0765 (not a toll-free call)), which will obtain a copy through the Office of the United States Executive Director of the concerned MDB and make it available in the Department of the Treasury Library, 1500 Wash-Pennsylvania Avenue NW., ington, DC. Members of the public are advised that they must make an appointment with the Treasury Library ((202) 622-0990 not a toll-free call) before they visit, and that a charge (currently 15 cents per page) is imposed for the use of the library photocopier.